



## Division of Criminal Justice Services

---

### **CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS**

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of APPLIED CONCEPTS INC, STALKER PATROL RADAR, serial number EC005405, performed on September 15, 2021 by Office of Public Safety employee Joseph Iavarone, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink, appearing to read "Joshua Vinehout".

Digitally signed under  
ESRA by Joshua Vinehout  
on 9/23/2021 8:39 AM

---

**Joshua Vinehout**  
**Supervisor of Public Safety Programs**  
**Office of Public Safety**

An Equal Opportunity/Affirmative Action Agency

**RADAR  
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Lake Placid Village Police Department  
Manufacturer: APPLIED CONCEPTS INC      Model: STALKER PATROL  
Date: September 15, 2021      Serial Number: EC005405

I hereby certify that APPLIED CONCEPTS INC RADAR, model STALKER PATROL, serial number EC005405 / EB007876 // EB007930, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	PAS MPH	PAS MPH
Test No	Certification Standard (Stationary)	Test Result
1	40 MPH	40 MPH
2	25 MPH	25 MPH
Test No	Certification Standard (Moving)	Test Result
1	40 MPH	15 MPH
	25 MPH	

Turning Fork Certification / Date of Certification: September 15, 2021

Serial Number	Frequency	Test Result
FE015020	2897 HZ	40 MPH

The above stated tuning fork has been tested and found to oscillate at 2897 Hertz. It will cause a calibration signal of 40 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

Serial Number	Frequency	Test Result
FD012305	1815 HZ	25 MPH

The above stated tuning fork has been tested and found to oscillate at 1815 Hertz. It will cause a calibration signal of 25 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.



Digitally signed under ESRA  
by Joseph Iavarone  
on 9/15/2021 2:27 PM

---


**Joseph Iavarone**  
Highway Safety Equipment Technician  
Office of Public Safety

**RADAR  
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

**Name of Submitting Agency:** Lake Placid Village Police Department  
**Manufacturer:** APPLIED CONCEPTS INC  
**Model:** STALKER PATROL  
**Serial Number:** EC005405  
**Date:** September 15, 2021

1. General appearance and condition of this device -----: OK
2. Turn system ON -----: OK
3. Check visual displays/indicators -----: OK
4. System cycles through all modes -----: OK

5. Record any repairs made to this instrument and list services provided:  
**VERIFIED CALIBRATION**



Digitally signed under ESRA  
by Joseph Iavarone  
on 9/15/2021 2:27 PM

---

**Joseph Iavarone**  
**Highway Safety Equipment Technician**  
**Office of Public Safety**



## Division of Criminal Justice Services

---

### **CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS**

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of KUSTOM ELECTRONICS, KR-10SP RADAR, serial number EE35735, performed on September 15, 2021 by Office of Public Safety employee Joseph Iavarone, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink, appearing to read "Joshua Vinehout".

Digitally signed under  
ESRA by Joshua Vinehout  
on 9/23/2021 8:39 AM

---

**Joshua Vinehout**  
**Supervisor of Public Safety Programs**  
**Office of Public Safety**

An Equal Opportunity/Affirmative Action Agency

**RADAR  
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Lake Placid Village Police Department  
Manufacturer: KUSTOM ELECTRONICS      Model: KR-10SP  
Date: September 15, 2021      Serial Number: EE35735

I hereby certify that KUSTOM ELECTRONICS RADAR, model KR-10SP, serial number EE35735 / CC35298 // N/A, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	32 MPH	32 MPH
Test No	Certification Standard (Stationary)	Test Result
1	65 MPH	65 MPH
2	35 MPH	35 MPH
Test No	Certification Standard (Moving)	Test Result
1	65 MPH	30 MPH
	35 MPH	

Turning Fork Certification / Date of Certification: September 15, 2021


Serial Number	Frequency	Test Result
51019	4735 HZ	65 MPH

The above stated tuning fork has been tested and found to oscillate at 4735 Hertz. It will cause a calibration signal of 65 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

Serial Number	Frequency	Test Result
37528	2543 HZ	35 MPH

The above stated tuning fork has been tested and found to oscillate at 2543 Hertz. It will cause a calibration signal of 35 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.



Digitally signed under ESRA  
by Joseph Iavarone  
on 9/15/2021 2:28 PM

---

**Joseph Iavarone**  
Highway Safety Equipment Technician  
Office of Public Safety

**RADAR  
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

**Name of Submitting Agency:** Lake Placid Village Police Department  
**Manufacturer:** KUSTOM ELECTRONICS  
**Model:** KR-10SP  
**Serial Number:** EE35735  
**Date:** September 15, 2021

1. General appearance and condition of this device -----: OK
2. Turn system ON -----: OK
3. Check visual displays/indicators -----: OK
4. System cycles through all modes -----: OK
5. Record any repairs made to this instrument and list services provided:  
**VERIFIED CALIBRATION**

*Joseph Iavarone*

Digitally signed under ESRA  
by Joseph Iavarone  
on 9/15/2021 2:28 PM

---

**Joseph Iavarone**  
**Highway Safety Equipment Technician**  
**Office of Public Safety**



## Division of Criminal Justice Services

---

### **CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS**

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of KUSTOM ELECTRONICS, GOLDEN EAGLE II RADAR, serial number EG02264, performed on September 15, 2021 by Office of Public Safety employee Joseph Iavarone, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink, appearing to read "Josh. Vinehout".

Digitally signed under  
ESRA by Joshua Vinehout  
on 9/23/2021 8:39 AM

---

**Joshua Vinehout**  
**Supervisor of Public Safety Programs**  
**Office of Public Safety**

An Equal Opportunity/Affirmative Action Agency

**RADAR  
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Lake Placid Village Police Department

Manufacturer: KUSTOM ELECTRONICS

Model: GOLDEN EAGLE II

Date: September 15, 2021

Serial Number: EG02264

I hereby certify that KUSTOM ELECTRONICS RADAR, model GOLDEN EAGLE II, serial number EG02264 // KM41113 // N/A, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	PAS MPH	PAS MPH
Test No	Certification Standard (Stationary)	Test Result
1	55 MPH	55 MPH
2	30 MPH	30 MPH
Test No	Certification Standard (Moving)	Test Result
1	55 MPH	25 MPH
	30 MPH	

Turning Fork Certification / Date of Certification: September 15, 2021

Serial Number	Frequency	Test Result
23048	5890 HZ	55 MPH

The above stated tuning fork has been tested and found to oscillate at 5890 Hertz. It will cause a calibration signal of 55 MPH when used with a Doppler traffic radar operating at 35,500 Mhz.

Serial Number	Frequency	Test Result
20238	3205 HZ	30 MPH

The above stated tuning fork has been tested and found to oscillate at 3205 Hertz. It will cause a calibration signal of 30 MPH when used with a Doppler traffic radar operating at 35,500 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.



Digitally signed under ESRA  
by Joseph Iavarone  
on 9/15/2021 2:29 PM

**Joseph Iavarone**  
Highway Safety Equipment Technician  
Office of Public Safety



**RADAR  
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

**Name of Submitting Agency:** Lake Placid Village Police Department  
**Manufacturer:** KUSTOM ELECTRONICS  
**Model:** GOLDEN EAGLE II  
**Serial Number:** EG02264  
**Date:** September 15, 2021


1. General appearance and condition of this device -----: OK

2. Turn system ON -----: OK

3. Check visual displays/indicators -----: OK

4. System cycles through all modes -----: OK

5. Record any repairs made to this instrument and list services provided:  
**VERIFIED CALIBRATION**



Digitally signed under ESRA  
by Joseph Iavarone  
on 9/15/2021 2:29 PM

---

**Joseph Iavarone**  
**Highway Safety Equipment Technician**  
**Office of Public Safety**



## Division of Criminal Justice Services

---

### **CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS**

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of KUSTOM ELECTRONICS, GOLDEN EAGLE RADAR, serial number EG02265, performed on September 15, 2021 by Office of Public Safety employee Joseph Iavarone, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink, appearing to read "Josh. Vinehout".

Digitally signed under  
ESRA by Joshua Vinehout  
on 9/23/2021 8:39 AM

---

**Joshua Vinehout**  
**Supervisor of Public Safety Programs**  
**Office of Public Safety**

An Equal Opportunity/Affirmative Action Agency

**RADAR  
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Lake Placid Village Police Department  
Manufacturer: KUSTOM ELECTRONICS      Model: GOLDEN EAGLE  
Date: September 15, 2021      Serial Number: EG02265

I hereby certify that KUSTOM ELECTRONICS RADAR, model GOLDEN EAGLE, serial number EG02265// KM41089 // N/A, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	PAS MPH	PAS MPH
Test No	Certification Standard (Stationary)	Test Result
1	55 MPH	55 MPH
2	30 MPH	30 MPH
Test No	Certification Standard (Moving)	Test Result
1	55 MPH	25 MPH
	30 MPH	

Turning Fork Certification / Date of Certification: September 15, 2021


Serial Number	Frequency	Test Result
26425	5889 HZ	55 MPH

The above stated tuning fork has been tested and found to oscillate at 5889 Hertz. It will cause a calibration signal of 55 MPH when used with a Doppler traffic radar operating at 35,500 Mhz.

Serial Number	Frequency	Test Result
24942	3203 HZ	30 MPH

The above stated tuning fork has been tested and found to oscillate at 3203 Hertz. It will cause a calibration signal of 30 MPH when used with a Doppler traffic radar operating at 35,500 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.



Digitally signed under ESRA  
by Joseph Iavarone  
on 9/15/2021 2:30 PM


---

**Joseph Iavarone**  
Highway Safety Equipment Technician  
Office of Public Safety

**RADAR  
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

**Name of Submitting Agency:** Lake Placid Village Police Department  
**Manufacturer:** KUSTOM ELECTRONICS  
**Model:** GOLDEN EAGLE  
**Serial Number:** EG02265  
**Date:** September 15, 2021

1. General appearance and condition of this device -----: OK
2. Turn system ON -----: OK
3. Check visual displays/indicators -----: OK
4. System cycles through all modes -----: OK
5. Record any repairs made to this instrument and list services provided:  
**VERIFIED CALIBRATION**



Digitally signed under ESRA  
by Joseph Iavarone  
on 9/15/2021 2:30 PM

---

**Joseph Iavarone**  
**Highway Safety Equipment Technician**  
**Office of Public Safety**



## Division of Criminal Justice Services

---

### **CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS**

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of KUSTOM ELECTRONICS, GOLDEN EAGLE II RADAR, serial number EG02343, performed on September 15, 2021 by Office of Public Safety employee Joseph Iavarone, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink, appearing to read "Josh. Vinehout".

Digitally signed under  
ESRA by Joshua Vinehout  
on 9/23/2021 8:39 AM

---

**Joshua Vinehout**  
**Supervisor of Public Safety Programs**  
**Office of Public Safety**

An Equal Opportunity/Affirmative Action Agency

# RADAR RECORD OF INSPECTION / MAINTENANCE / CALIBRATION

Name of Submitting Agency: Lake Placid Village Police Department

Manufacturer: KUSTOM ELECTRONICS

Model: GOLDEN EAGLE II

Date: September 15, 2021

Serial Number: EG02343

I hereby certify that KUSTOM ELECTRONICS RADAR, model GOLDEN EAGLE II, serial number EG02343// KM41703 // N/A, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	PAS MPH	PAS MPH
Test No	Certification Standard (Stationary)	Test Result
1	55 MPH	55 MPH
2	30 MPH	30 MPH
Test No	Certification Standard (Moving)	Test Result
1	55 MPH	25 MPH
	30 MPH	

Turning Fork Certification / Date of Certification: September 15, 2021


Serial Number	Frequency	Test Result
21196	5886 HZ	55 MPH

The above stated tuning fork has been tested and found to oscillate at 5886 Hertz. It will cause a calibration signal of 55 MPH when used with a Doppler traffic radar operating at 35,500 Mhz.

Serial Number	Frequency	Test Result
19849	3202 HZ	30 MPH

The above stated tuning fork has been tested and found to oscillate at 3202 Hertz. It will cause a calibration signal of 30 MPH when used with a Doppler traffic radar operating at 35,500 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.



Digitally signed under ESRA  
by Joseph Iavarone  
on 9/15/2021 2:31 PM

---

Joseph Iavarone  
Highway Safety Equipment Technician  
Office of Public Safety

**RADAR  
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

**Name of Submitting Agency:** Lake Placid Village Police Department  
**Manufacturer:** KUSTOM ELECTRONICS  
**Model:** GOLDEN EAGLE II  
**Serial Number:** EG02343  
**Date:** September 15, 2021


1. General appearance and condition of this device -----: OK

2. Turn system ON -----: OK

3. Check visual displays/indicators -----: OK

4. System cycles through all modes -----: OK

5. Record any repairs made to this instrument and list services provided:  
**VERIFIED CALIBRATION**



Digitally signed under ESRA  
by Joseph Iavarone  
on 9/15/2021 2:31 PM

---

**Joseph Iavarone**  
**Highway Safety Equipment Technician**  
**Office of Public Safety**



## Division of Criminal Justice Services

---

### **CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS**

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of KUSTOM ELECTRONICS, GOLDEN EAGLE II RADAR, serial number XE05034, performed on September 15, 2021 by Office of Public Safety employee Joseph Iavarone, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink, appearing to read "Josh. Vinehout".

Digitally signed under  
ESRA by Joshua Vinehout  
on 9/23/2021 8:39 AM

---

**Joshua Vinehout**  
**Supervisor of Public Safety Programs**  
**Office of Public Safety**

An Equal Opportunity/Affirmative Action Agency



**RADAR  
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Lake Placid Village Police Department  
Manufacturer: KUSTOM ELECTRONICS      Model: GOLDEN EAGLE II  
Date: September 15, 2021      Serial Number: XE05034

I hereby certify that KUSTOM ELECTRONICS RADAR, model GOLDEN EAGLE II, serial number XE05034 / / DE12250 / / DE12171, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	PAS MPH	PAS MPH
Test No	Certification Standard (Stationary)	Test Result
1	55 MPH	55 MPH
2	30 MPH	30 MPH
Test No	Certification Standard (Moving)	Test Result
1	55 MPH	25 MPH
	30 MPH	

Turning Fork Certification / Date of Certification: September 15, 2021

Serial Number	Frequency	Test Result
31229	5889 HZ	55 MPH

The above stated tuning fork has been tested and found to oscillate at 5889 Hertz. It will cause a calibration signal of 55 MPH when used with a Doppler traffic radar operating at 35,500 Mhz.

Serial Number	Frequency	Test Result
29774	3207 HZ	30 MPH

The above stated tuning fork has been tested and found to oscillate at 3207 Hertz. It will cause a calibration signal of 30 MPH when used with a Doppler traffic radar operating at 35,500 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.

*Joseph Iavarone*


Digitally signed under ESRA  
by Joseph Iavarone  
on 9/15/2021 2:32 PM

**Joseph Iavarone**  
Highway Safety Equipment Technician  
Office of Public Safety

**RADAR**  
**RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

**Name of Submitting Agency:** Lake Placid Village Police Department  
**Manufacturer:** KUSTOM ELECTRONICS  
**Model:** GOLDEN EAGLE II  
**Serial Number:** XE05034  
**Date:** September 15, 2021

1. General appearance and condition of this device -----: OK
2. Turn system ON -----: OK
3. Check visual displays/indicators -----: OK
4. System cycles through all modes -----: OK
5. Record any repairs made to this instrument and list services provided:  
**VERIFIED CALIBRATION**



Digitally signed under ESRA  
by Joseph Iavarone  
on 9/15/2021 2:32 PM

---

**Joseph Iavarone**  
**Highway Safety Equipment Technician**  
**Office of Public Safety**